






Specialized Flooring Systems Co.
شركة الأرضية المتخصصة





CATALOGUE


RAISED FLOORING SYSTEMS

2026



 www.sfloorings.com
 info@sfloorings.com

  00966 54 700 4313
  @sfloorings

 3976 AL MARWA RD -
AL MISHAEL DIST,
RIYADH, SAUDI ARABIA.



RAISED FLOORING

Raised flooring is a solution that provides access for mechanical, electrical, and ventilation cables and ducts in commercial interiors, without the hassle of demolition or rebuilding. It offers ample space and easy access for essential cabling. This system also allows ventilation to be installed beneath the floor, enabling more efficient space allocation.

The core of the panels is typically high load-bearing, constructed from materials such as particleboard (chipboard), calcium sulfate, or cementitious compounds, and is often bonded or encased with steel sheets. The standard panel size is 600 x 600 mm.

ABOUT US

Our company serves the interior design industry and all elements of design by offering innovative and excellent quality solutions. Fulfilling our mission to supply solutions for the flooring solutions, we specialize in Raised Floors (manufacturing), and PVC Floor Coverings (import and distribution for local manufacturers).

Our cooperation with professionals in the industry provides functional, well-designed and ergonomic results in terms of architecture with categories such as Carpet Tile, Raised Floors, PVC floor coverings, and interior sports floor coverings.

SFS represents its technical know-how and capacity for professional installations in every project required by the construction sector, providing solutions and an understanding of service. SFS is proud to see reflections of architectural functionality and aesthetics that meet the global criteria in every piece of work it delivers. SFS also provides design service and project management to ensure smooth transition of every stage. SFS offers excellence and quality to its customers with an approach of full customer satisfaction.

BARE STEEL RAISED FLOOR

Code: SFS-CRF-B



Structure



CUT Edging



Fold Edging

All steel components, four independent support structures, base steel plate use tensile plate, surface hard steel sheet (SPCC), floor surface through conductive epoxy processing. Surface can be covered with square carpets/PVC carpets or tiles.

Application

Office buildings, computer room, environment, meeting room, and data centers halls.



Characteristics

- Excellent loading performance.
- Light weight cementitious fill to make panels solid and quiet.
- Completely non-combustible.
- Dark cathodic Epoxy painting for life-time protection.
- Unique seamless edge banding technique.



Technical Parameters

Type	Size (mm)	Uniform Load (KN/m ²)	Concentrated Load (KN)	Rolling Load (KN)		Impact Load (LB/KG)	Ultimate Load (KN)
			2mm Deflection	10 Times	10000 Times		
SFS-CRF-662	600*600*33	14.71	2.94	2.45	2.0	100LB/45KG	8.85
SFS-CRF-800	600*600*33	17.78	3.56	2.94	2.45	100LB/45KG	11.25
SFS-CRF-1000	600*600*33	22.22	4.45	3.56	2.67	150LB/68KG	14.5
SFS-CRF-1250	600*600*33	27.78	5.56	4.45	3.56	150LB/68KG	18.36
SFS-CRF-1500	600*600*33	33.34	6.68	5.56	4.45	175LB/79KG	22.67

ANTI-STATIC STEEL RAISED FLOOR

Code: SFS-CRF-AS



Structure

Anti-Static raised floor is made of good quality cold-rolled steel sheet with foaming cement fully filled. The surface is stuck with High Pressure Laminate (HPL) or conductive PVC tile.

The whole raised floor system is composed of raised floor, pedestal, and stringer.


Application

Office intelligent office environment, meeting room, spaces that have requirement of dust-proof flooring.



Characteristics

- High strength and capacity.
- Easy access to cables.
- Fireproof.
- Anti-static.
- Light weight cementitious fill.
- Reduce construction cost.



Technical Parameters

Type	Size (mm)	Uniform Load (KN/m ²)	Concentrated Load (KN)	Rolling Load (KN)		Impact Load (LB/KG)	Ultimate Load (KN)
			2mm Deflection	10 Times	10000 Times		
SFS-CRF-AS-662	600*600*35	14.71	2.94	2.45	2.0	100LB/45KG	8.85
SFS-CRF-AS-800	600*600*35	17.78	3.56	2.94	2.45	100LB/45KG	11.25
SFS-CRF-AS-1000	600*600*35	22.22	4.45	3.56	2.67	150LB/68KG	14.5
SFS-CRF-AS-1250	600*600*35	27.78	5.58	4.45	3.56	150LB/68KG	18.36
SFS-CRF-AS-1500	600*600*35	33.34	6.68	5.56	4.45	175LB/79KG	22.67

CALCIUM SULPHATE RAISED FLOOR

Code: SFS-CSRFB



Structure


Calcium sulphate raised floor takes the environment friendly natural gypsum and plant's fiber as the reinforcement material, and then solidify the calcium sulphate crystals and after the pulse pressing process done. It has become one of the newest raised access floor. because the product is environmental friendly, fireproof, high loading capacity and flatness and so on.

Application


Computer room, data center, control room, laboratory, office building, banks, power control center. Workshop and spaces where they require anti-static environment or have many wires.

Characteristics

- High strength loading capacity.
- Good thermal, and sound insulation.
- Flame retardant and fireproof.
- Environmental friendly.
- Anti-Static.



Anti Static HPL
Finish



Anti Static
Finish

Technical Parameters

Type	Size (mm)	Uniform Load (KN/m ²)	Concentrated Load (KN)	Rolling Load (KN)		Impact Load (LB/KG)	Ultimate Load (KN)
			2mm Deflection	10 Times	10000 Times		
SFS-CSRFB-1000	600*600*30	22.22	4.45	3.56	2.67	150LB/68KG	14.50
SFS-CSRFB-1250	600*600*32	27.78	5.56	4.45	3.56	150LB/68KG	18.36
SFS-CSRFB-1500	600*600*34	33.34	6.68	5.56	4.45	175LB/79KG	22.17
SFS-CSRFB-2000	600*600*38	44.45	8.89	6.68	5.56	175LB/79KG	29.42
SFS-CSRFB-2500	600*600*40	57.59	11.11	8.34	6.68	200LB/91KG	37.3


ENCAPSULATED RAISED FLOOR

Code: SFS-EN



Structure

Encapsulated panel is fully wrapped around hot dipped galvanized steel. The top and bottom steel sheet is pressed and riveted, with high-density chipboard or high-strength calcium sulphate as the inside core. It is fixed on four pedestals with or without stringers.



Calcium Sulphate Board



Chipboard

Application

Office building, intelligent office environment, meeting room, commercial and industrial bureau, government, fields with wiring requirements, usually used with square carpet.

Characteristics

- Patent product and perfect structure.
- Full steel encasement and good sealing.
- Better water-proof performance.
- High dimension accuracy and environmental proof.

Technical Parameters

Type	Size (mm)	Uniform Load (KN/m ²)	Concentrated Load (KN)	Rolling Load (KN)		Impact Load (LB/KG)	Ultimate Load (KN)
			2mm Deflection	10 Times	10000 Times		
SFS-EN-W-800	600*600*30	17.78	3.56	2.94	2.45	100LB/45KG	11.25
SFS-EN-CS-800	600*600*26	17.78	3.56	2.99	2.45	100LB/45KG	11.25
SFS-EN-CS-1250	600*600*30	27.78	5.56	4.45	3.56	150LB/68KG	18.36

WOOD CORE RAISED FLOOR

Code: SFS-WRF



Structure

Wood core raised floor is made up of high density chipboard. The top surface will be Anti-static HPL or PVC. The Bottom Surface is covered with galvanized steel and the four edges are protected with PVC edge trim.

Application

High-grade rooms, such as banks, telecommunication centers, smart offices, computer rooms, and data rooms.

Characteristics


- Light weight, less noise and comfortable while walking.
- High dimension accuracy and environmental proof.
- Smooth floor surface, high dimension accuracy.
- excellent anti-static properties.
- Good sealing and water-proof.
- Good loading capacity.

Technical Parameters

Type	SFS-WRF-40
Size	600 × 600 × 40
Uniform Load	17.78 kN/m ²
Concentrated Load (2 mm Deflection)	3.6 kN
Rolling Load (up to 10,000 cycles)	294 / 245
Impact Load	100 LB / 45 KG
Ultimate Load	12.90 kN


Bottom Galvanized Steel and Top PVC Coated Panel

Code: SFS-WRF-PPG-30



Bottom Galvanized Steel and Top PVC Coated Panel

Code: SFS-WRF-PPG-40



Panel Properties


Panel Dimensions	600x600x30 (mm)
Top Surface	Vinyl
Bottom Surface	Galvanized Steel
Edge Surface	Hard PVC Edge Band
Panel Weight	8,9 Kg/Panel
Panel Core	High Density Chipboard
Working Load	2.83 KN EN 12825
Maximum Load	9.9 KN EN 12825

Panel Properties

Panel Dimensions	600x600x40 (mm)
Top Surface	Vinyl
Bottom Surface	Galvanized Steel
Edge Surface	Hard PVC Edge Band
Panel Weight	10.8 Kg/Panel
Panel Core	High Density Chipboard
Working Load	4 KN TS EN 12825
Maximum Load	14 KN TS EN 12825

Bottom Galvanized Steel Top HPL Coated Panel

Code: SFS-WRF-HPG-30



Bottom Galvanized Steel Top HPL Coated Panel

Code: SFS-WRF-HPG-40



Panel Properties


Panel Dimensions	600x600x30 (mm)
Top Surface	1.2 mm HPL (Anti Static)
Bottom Surface	Galvanized Steel
Edge Surface	Hard PVC edge Band
Panel Weight	8.0 Kg/Panel
Panel Core	High Density Chipboard
Working Load	2.83 KN EN 12825
Maximum Load	9.9 KN EN 12825

Panel Properties

Panel Dimensions	600*600*40 (mm)
Top Surface	1.2 mm HPL (Anti-Static)
Bottom Surface	Galvanized Steel
Edge Surface	Hard PVC Edge Band
Panel Weight	10.4 Kg/Panel
Panel Core	High Density Chipboard
Working Load	3.67 KN EN12825
Maximum Load	12.9 KN EN 12825


PERFORATED PANEL

The perforated raised floor is specially designed for spaces with ventilation requirements under the floor. It is made of high-quality steel plate. After stretching, punching, spot welding, and plastic spraying, the inner cavity is hollow with a reinforced grid. The floor shape has high accuracy and can be interchanged with any other floors. The ventilation rate is 20% - 75%.




Application


Computer rooms, communication rooms, exchange equipment rooms and spaces that require air circulation, dust-proof and anti-static environment.




Ventilation Rate
20%




Ventilation Rate
22%




Ventilation Rate
23%




Ventilation Rate
35%




Ventilation Rate
25%




Ventilation Rate
32%




Ventilation Rate
46%




Ventilation Rate
55%




Ventilation Rate
23%



Ventilation Rate
25%



Ventilation Rate
25%



Ventilation Rate
75%

▶ Pedestal

Adjustable set legs

The raised Floor System is supported on adjustable legs (pedestals). The pedestals are connected with stringer systems suitable for loading conditions.

Calcium Sulphate/ Wood Core/ Encapulated Raised Floor

Usually; pedestals with stringer system is used to support the calcium sulphate and wood core systems.




Pedestal with Stringer System

Cementitious Raised Floor


Corner lock/ stringer system and cross-head pedestal can be used.




Corner Lock System



Pedestal with Stringer System



**Calcium Sulphate/ Wood Core/ Cementitious
Raised Floor Pedestal**




Heavy Duty Raised Floor System


ANTI-STATIC HPL

▶ Performance


- High performance to wear and tear.
- High resistance to scratching.
- High resistance to impact.
- Resistances to high temperature.
- Special anti-static properties.
- Easy cleaning and maintenance.



8001




8002



8003




8004



8007




8008




8009




8010



8011



8012




8013



8014

▶ Test Results

Property	Unit	Values
Thickness	mm	0.9, 1.2, 2.0
Density	gr/cm ³	>1,35
Tensile Strength	MPa	82.56
Resistance to wet heat	Rating	10.9%
Resistance to Abraison	Revs	Grade 3
Electrical Resistance		10 ⁷
Delay Ignition Performance	Grade B2≥27	37.4
	Maximum > 15. Grade B2 MIn Grade HB405	Grade HB
	Grade B2 MIn V-1	Grade V-1
Formaldehyde Emmission	E1≤1.5	1.3



SFS

Specialized Flooring Systems Co.

شركة الأرضية المتخصصة

“ Superior,Expert, Affordable ”

Raised Floor Manufacturing





ترخيص منشأة صناعية



رقم الترخيص الصناعي:	451227257	تاريخ الإصدار:	2023-10-09	تاريخ الانتهاء:	2028-10-09
رمز المنشأة الصناعية:	10013599	الرقم الموحد:	7035155121		
اسم المنشأة الصناعية:	شركة الارضية المتخصصة للصناعات الخشبية				
عنوان المنشأة الصناعية:	الرياض - منطقة الرياض				
اسم السجل التجاري:	شركة الارضية المتخصصة للصناعات الخشبية				
عنوان السجل التجاري:	8120 الرياض 4084-12274				
رقم السجل التجاري:	1010874550	نوع السجل التجاري:	ذات مسؤولية محدودة	رأس المال:	100000



للاطلاع على تفاصيل الأنشطة الاقتصادية
والمنتجات المرخصة، والبيانات التفصيلية،
والاشتراطات والمتطلبات؛ يرجى مسح الرمز
الإلكتروني



وزارة الصناعة والثروة المعدنية

بندر بن إبراهيم الخريف



شهادة السجل التجاري

شركة الارضية المتخصصة للصناعات الخشبية

الرقم الوطني الموحد: 7035155121

تاريخ الإصدار: 09/04/2023

نوع الكيان: شركة ذات مسؤولية محدودة

صفات الشركة: (شخص واحد)

حالة السجل: نشط

البيانات الأساسية للسجل التجاري



7035155121



100241118777616

TIN 3105480335 الرقم المميز

Certificate No. 100241118777616 رقم الشهادة

Certificate date 11/03/2020 تاريخ الشهادة



هيئة الزكاة والضريبة والجمارك
Zakat, Tax and Customs Authority

المملكة العربية السعودية
Kingdom of Saudi Arabia

شهادة تسجيل في ضريبة القيمة المضافة

VAT Registration Certificate

تشهد هيئة الزكاة والضريبة والجمارك بأن المكلف أدناه مسجل في ضريبة القيمة المضافة بتاريخ 2020/01/01م
The Zakat, Tax and Customs Authority certifies that the taxpayer below is VAT registered on 01/01/2020 AD

Taxpayer Name	شركة نزار نقشبندي للمقاولات شركة شخص واحد	اسم المكلف
VAT Registration Number	310548033500003	رقم التسجيل الضريبي
Effective Registration Date	2022/10/01	تاريخ نفاذ التسجيل
Taxpayer Address	الرياض، حي الملك ف، طريق الملك عبدالعزيز، 12274	عنوان المكلف
CR / License/ Contract / ID No.	1010211819	رقم السجل التجاري / الرخصة / العقد / الهوية
Tax Period	Monthly-شهري	الفترة الضريبية
First Filing due date	2020/04/30	تاريخ استحقاق أول إقرار ضريبي

ملاحظة: كمكلفين مسجلين في ضريبة القيمة المضافة، لا يجوز لكم تحصيل ضريبة القيمة المضافة من عملائكم قبل تاريخ نفاذ التسجيل في الضريبة. و في حال تبين غير ذلك ستقوم هيئة الزكاة والضريبة والجمارك بتنفيذ الفرامات المستحقة

Note: As a VAT registered taxpayer, you are not allowed to collect VAT from your customers prior to the effective date of the tax registration. If otherwise approved, The ZAKAT, Tax and Customs Authority will impose the applicable penalties.



zatca.gov.sa 19993 @zatca_sa



هذه الوثيقة مستخرجة من النظام الآلي ولا تحتاج إلى توقيع
و لا يعتد بهذه الشهادة إلا بعد التحقق من موقع الهيئة
www.zatca.gov.sa



100241118777616

TIN 3105480335 الرقم المميز

Certificate No. 100241118777616 رقم الشهادة

Certificate date 11/03/2020 تاريخ الشهادة



هيئة الزكاة والضريبة والجمارك
Zakat, Tax and Customs Authority

المملكة العربية السعودية
Kingdom of Saudi Arabia

قائمة فروع المكلف

List of Taxpayer Branches

المدينة City	اسم الفرع Branch Name	رقم سجل تجاري / رخصة / عقد CR/ License / Contract Number
أخرى Riyadh	شركة الارضية المتخصصة للصناعات الخشبية	7035155121
أخرى Riyadh	شركة حلقة التطوير للتطوير العقاري	7036574353



zatca.gov.sa 19993 @zatca_sa



هذه الوثيقة مستخرجة من النظام الآلي ولا تحتاج إلى توقيع
و لا يعتد بهذه الشهادة إلا بعد التحقق من موقع الهيئة
www.zatca.gov.sa

الرقم الموحد للمنشأة: ٧٠٣٥١٥٥١٢١

رقم السجل: ١٠١٠٨٧٤٥٥٠

التاريخ: ١٤٤٤/٠٩/١٨ هـ

وزارة التجارة
Ministry of Commerce

ملف الأنشطة

الاسم التجاري: شركة الأرضية المتخصصة للصناعات الخشبية

الأنشطة	رمز النشاط	اسم النشاط	المجال العام للأنشطة
تشريح وتقطيع الأخشاب (النشاط يتطلب الحصول على ترخيص من وزارة الصناعة والثروة المعدنية)	١٦١٠١٣		الصناعات التحويلية
صناعة صوف ودقيق الخشب في شكل جسيمات كنشاط أولي (النشاط يتطلب الحصول على ترخيص من وزارة الصناعة والثروة المعدنية)	١٦١٠١٤		
إنتاج أنواع نشارة الخشب (النشاط يتطلب الحصول على ترخيص من وزارة الصناعة والثروة المعدنية)	١٦١٠٣٠		
صناعة الأرضيات الخشبية غير المجمععة (النشاط يتطلب الحصول على ترخيص من وزارة الصناعة والثروة المعدنية)	١٦١٠٤٠		



رقم شهادة : 25491251673

تاريخ الإصدار : 2025-10-22

اسم المنشأة : شركة نزار نزار نقشبدي للمقاولات شركة شخص
واحد

صلاحية الشهادة: سنة من تاريخ الإصدار *

رقم الملف الموحد : 7003249591



تشهد الهيئة العامة للمنشآت الصغيرة والمتوسطة "منشآت" بأن المنشأة المذكورة أعلاه تدرج من ضمن المنشآت الصغيرة والمتوسطة وفقاً للتعريف المعتمد لدى "منشآت"



يتم التحقق من الشهادة من خلال الموقع الإلكتروني للمنشأة أو عن طريق مسح رمز الاستجابة السريعة QR

<http://profile.monshaat.gov.sa/validate>

تعد هذه الشهادة من الوثائق الحكومية الرسمية، ولا يجوز تداولها أو استعمالها إلا في حدود الأغراض التي أصدرت لأجلها، ويحظر قطعياً تقليدها أو إدخال أي تعديلات عليها سواء بالإضافة أو الحذف أو التغيير في بياناتها أو غير ذلك من أنواع التعديل، وتعد هذه الشهادة لاغية إذا شابها شيء من ذلك، كما تعرض من ارتكب أي مما سبق إلى الملاحقة النظامية أمام الجهات المختصة دون الإخلال بما تنص عليه الأنظمة ذات العلاقة.

* يجب التحقق من خلال رابط موقع منشآت عن صلاحية الشهادة حيث أنه يتم التحديث بشكل دوري

التاريخ: 2025/11/02م
رقم الشهادة : M 216245



هيئة المحتوى المحلي
والمشتريات الحكومية
Local Content & Government
Procurement Authority



شهادة المحتوى المحلي Local content certification



The Local Content & Government Procurement Authority certifies that the Local Content Score for [Company Nizar Nizar Naqshabandi For Contracting] Unified National Number [7003249591] for the year ended in 31/12/2024, is 25.77%.

This certificate expires on 31/07/2026.

Note:

This certificate was issued according to the procedures followed by the Authority and based on the disclosure submitted by the entity and the report issued by the approved audit firm, without holding LCGPA minimally responsible.

This certificate is sent via electronic mail / automated system and it does not require a signature.

تشهد هيئة المحتوى المحلي والمشتريات الحكومية أن نسبة المحتوى المحلي لـ [شركة نزار نزار نقشبندي للمقاولات شركة شخص واحد] الرقم الوطني الموحد [7003249591]، للسنة المالية المنتهية بتاريخ 2024/12/31م، تبلغ 25.77%.

تنتهي صلاحية هذه الشهادة في 2026/07/31م.

تويه:

تم إصدار هذه الشهادة بحسب الإجراءات المتبعة لدى الهيئة بناء على الإفصاح المقدم من المنشأة و التقرير الصادر من مكتب المراجعة المعتمد، دون أدنى مسؤولية على الهيئة.

هذه الوثيقة مرسلة عبر البريد الإلكتروني / النظام الآلي ولا تحتاج إلى توقيع.

You can validate the information in this certificate via the following link [URL](#) or by scanning the above QR code

يمكنك التحقق من صحة البيانات الواردة في الشهادة [أعلمه من خلال الرابط التالي [URL](#) أو من خلال مسح الرمز الرقمي] أعلاه



رخصة نشاط تجاري Commercial Activity Licence شركة الارضية المتخصصة للصناعات الخشبية

رقم الرخصة الموحد License Number 450112923350
تاريخ نهاية الترخيص License Expiry Date 1447/02/20

اسم المالك Owner's Name شركة الارضية المتخصصة للصناعات الخشبية

رقم هوية المالك Owner's ID 7035155121 - 7035155121

التصنيف الصناعي القياسي الدولي (نشاط ايزك) ISIC Classification صناعة الأرزيات الخشبية غير المجمعة

النشاط التفصيلي Detailed Activity مصنع صناعة الأرزيات الخشبية غير المجمعة

الأمانة Municipality أمانة منطقة الرياض
البلدية Sub-Municipality بلدية السلي

الحي District المشاعل
الشارع Street البديع القديم

مساحة المحل الإجمالية Shop's Total Area 990 متر مربع
مساحة اللوحات الإجمالية Shop's Sign's Area 5 متر مربع إرشادي | 0 متر مربع اعلاني



موقع المحل

للإطلاع على الأنشطة الإضافية وتفاصيل الرخصة يرجى مسح رمز الاستجابة السريع Code QR

التصاريح Permits رقم التصريح Permit Number تاريخ انتهاء التصريح Permit Expiry Date



تأكيد العضوية في برنامج صنع في السعودية

السادة / شركة الأرضية المتخصصة للصناعات الخشبية

السلام عليكم ورحمة الله وبركاته، وبعد،

نرحب بكم أعضاء في برنامج "صنع في السعودية" ويسعدنا انضمامكم للبرنامج ومساهمتم في تحقيق أهدافه الرامية إلى تعزيز الثقة بالمنتج الوطني وتفعيل دوره في تنمية الناتج المحلي السعودي غير النفطي، مما يساهم في جعل المملكة قوة صناعية رائدة وفقاً لأهداف رؤية السعودية 2030.

يعد هذا الخطاب بمثابة تأكيد على أن شركتكم الموقرة والمنتجات المسجلة والموافق عليها تستوفي المعايير المطلوبة للانضمام لبرنامج صنع في السعودية، على أن يمثل جميع الأعضاء امتثالاً كاملاً لقواعد البرنامج طوال فترة صلاحية العضوية، واعتباراً من تاريخ هذا الخطاب، يحق لشركتكم استخدام علامة "صناعة سعودية" على المنتجات المسجلة والمعتمدة، والاستفادة من مزايا العضوية.

وبناءً عليه، نأمل منكم تعريف جميع الموظفين المعنيين بتطبيق العلامة الصناعية بقواعد البرنامج وإرشادات استخدامها على المنتجات والمواد الترويجية الخاصة بالشركة.

مدير عام إدارة صنع في السعودية

أ. فيصل بن أحمد المغلوث

بيئة نجاها

المركز الوطني
للمراقبة على الالتزام البيئي
National Center for Environmental Compliance
المملكة العربية السعودية

تصريح بيئي

0563966152	هاتف	اسم المنشأة	شركة الارضية المتخصصة للصناعات الخشبية
	فاكس	رقم الطلب	OPWC-2023-005259
12274	الرمز البريدي	العنوان	الرياض حي المشاعل ، رقم المبنى 3976
		النشاط	صناعة الأرضيات الخشبية غير المجمعة
	صندوق البريد	السجل التجاري	1010874550
	المدينة	مصدره	الرياض
26/07/2026	تاريخ الانتهاء	تاريخ الاصدار	26/07/2023
	حالة المشروع	فئة المشروع	
		خط الطول(شمالاً)	خط العرض(شرقاً)
		24.6142385083794	46.8714218193019
		24.61432	46.871583
		24.6145033707219	46.8712787511261
		24.6145420074463	46.8714637756348

تم الاطلاع على مسوغات الطلب رقم (OPWC-2023-005259) من قبل المختصين لدينا واتضح ان نشاط المنشأة يصف حسب نظام البيئة ضمن المشاريع ذات التأثيرات البيئية المحدودة، عليه لا مانع من مراوغة النشاط مع الالتزام بالاشتراطات التالية:

- الالتزام بالمقاييس والمعايير والاشتراطات الصادرة من المركز الوطني للمراقبة على الالتزام البيئي
- السماح للتفتيش والمختصين بالمركز بالدخول للمنشأة في أي وقت
- في حال تعديل أو إضافة أو تغيير أو توسعة في النشاط أو وجود خطأ في البيانات المقدمة من صاحب الطلب يعتبر التصريح لاغي
- يجب اشعار المركز مسبقاً عند الرغبة في استخدام أو استرجاع أي مخلفات صناعية ضمن عمليات التصنيع وإطلاع مختصينا على النقية والطريقة المتبعة في هذا الخصوص
- يعتبر هذا التصريح خاص بالموقع الموضح عنوانه وفي حال تغير الموقع يلزم الحصول على تصريح للموقع الجديد
- التخلص من مخلفات المصنع وذلك بالتعاون مع إحدى الجهات المختصة
- الرام العمال على النقيذ باشتراطات الصحة والسلامة المهنية
- يجب موافقة الجهات ذات العلاقة على صلاحية الموقع لممارسة النشاط
- أي كسب أو تعديل في التصريح يعتبر لاغي

سلامة
Salamah

ترخيص الدفاع المدني

شركة الارضية المتخصصة للصناعات الخشبية

تاريخ الإنهاء

١٤٤٧-٠٢-٢٠



تاريخ الإصدار

١٤٤٦-٠٣-٠٧



رقم الترخيص

٢٠٠١٢٣٥٤٢٩-٤٦



بيانات المنشأة

التصنيف الرئيسي للمنشأة (نشاط الدريك)

١٦١٠٤٠ - صناعة الأرضيات الخشبية غير المجمعة

نوع المنشأة	اسم النشاط التجاري	المساحة الاجمالية	عدد الدور
مصنع	شركة الارضية المتخصصة للصناعات الخشبية	٩٩٠	١

بيانات المستأجر / المالك

اسم المسأجر / المالك	رقم المنشأة	رقم السجل التجاري
شركة الارضية المتخصصة للصناعات الخشبية	٧٠٣٥١٥٥١٢١	١٠١٠٨٧٤٥٥٠

بيانات العنوان

المنطقة	المدينة / المحافظة	الحي	الشارع
منطقة الرياض	الرياض	المشاعل	البيدع القديم

بيانات الدفاع المدني

جهة اصدار الترخيص
مركز السلامة الميدانية بالسلي



موقع المحل

للإطلاع على الأنشطة الاضافية وتفاصيل الترخيص يرجى مسح رمز الاستجابة السريع QR Code أعلى الصفحة

هذه الوثيقة موقعه ومصدقة إلكترونياً ولا تحتاج توقيع يدوي وشفاً لقرار مجلس الوزراء رقم (١٨) وتاريخ ٢٠١٧/٠٣/١٤ هـ المنظم لتعاملات الإلكترونيات. ولتأكد من صحة الرخصة يرجى زيارة موقع المديرية العامة للدفاع المدني على الرابط التالي (www.998.gov.sa) وإدخال رقم الرخصة المذكور أعلاه - الإدارة العامة لتقنية المعلومات

Certificate of Registration

This is to certify that

SPECIALIZED FLOORING SYSTEMS CO.

3976 AL MARWA RD - AL MISHAEL DIST. - RIYADH - SAUDI ARABIA

has been independently assessed and is compliant with the requirement of

ISO 9001:2015
Quality Management System

This certificate is applicable to the following scope:

RAISED FLOORS MANUFACTURING
SPECIAL FLOORING SYSTEMS INSTALLATION
WOODEN WORKS

Registration No. : DAAS-SPC-000289

This certificate is valid from 13-Sep-2023 until 12-Sep-2026
1st Surveillance audit due date 12-Sep-2024
1Ind Surveillance audit due date 12-Sep-2025
Re-certification due date 12-Sep-2026

Directorate of Accreditation for Assessment Services
973 Elizabeth St. Strathmore Alberta - T0C
Canada
www.daasaccreditation.org / www.qvrcerts.com

To verify the validity of this unaccredited certificate please visit www.daasaccreditation.org or scan QR code. Surveillance audit shall be conducted at least once a calendar year. This is to certify that the management system of this company has been found to conform to the above. If the certified client does not allow surveillance, re-certification audits, certificate would be return to Quality Verification Registrar. This certificate remain the property of Directorate of Accreditation for Assessment Services (DAAS), and this certificate is recognized by Directorate of Accreditation for Assessment Services (DAAS).

Certificate of Registration

This is to certify that

SPECIALIZED FLOORING SYSTEMS CO.

3976 AL MARWA RD - AL MISHAEL DIST. - RIYADH - SAUDI ARABIA

has been independently assessed and is compliant with the requirement of

ISO 45001:2018
Occupational Health & Safety Management System

This certificate is applicable to the following scope:

RAISED FLOORS MANUFACTURING
SPECIAL FLOORING SYSTEMS INSTALLATION
WOODEN WORKS

Registration No. : DAAS-SPC-000290

This certificate is valid from 13-Sep-2023 until 12-Sep-2026
1st Surveillance audit due date 12-Sep-2024
1Ind Surveillance audit due date 12-Sep-2025
Re-certification due date 12-Sep-2026

Directorate of Accreditation for Assessment Services
973 Elizabeth St. Strathmore Alberta - T0C
Canada
www.daasaccreditation.org / www.qvrcerts.com

To verify the validity of this unaccredited certificate please visit www.daasaccreditation.org or scan QR code. Surveillance audit shall be conducted at least once a calendar year. This is to certify that the management system of this company has been found to conform to the above. If the certified client does not allow surveillance, re-certification audits, certificate would be return to Quality Verification Registrar. This certificate remain the property of Directorate of Accreditation for Assessment Services (DAAS), and this certificate is recognized by Directorate of Accreditation for Assessment Services (DAAS).

Certificate of Registration

This is to certify that

SPECIALIZED FLOORING SYSTEMS CO.

3976 AL MARWA RD - AL MISHAEL DIST. - RIYADH - SAUDI ARABIA

has been independently assessed and is compliant with the requirement of

ISO 14001:2015
Environment Management System

This certificate is applicable to the following scope:

RAISED FLOORS MANUFACTURING
SPECIAL FLOORING SYSTEMS INSTALLATION
WOODEN WORKS

Registration No. : DAAS-SPC-000290

This certificate is valid from 13-Sep-2023 until 12-Sep-2026
1st Surveillance audit due date 12-Sep-2024
1Ind Surveillance audit due date 12-Sep-2025
Re-certification due date 12-Sep-2026

Directorate of Accreditation for Assessment Services
973 Elizabeth St. Strathmore Alberta - T0C
Canada
www.daasaccreditation.org / www.qvrcerts.com

To verify the validity of this unaccredited certificate please visit www.daasaccreditation.org or scan QR code. Surveillance audit shall be conducted at least once a calendar year. This is to certify that the management system of this company has been found to conform to the above. If the certified client does not allow surveillance, re-certification audits, certificate would be return to Quality Verification Registrar. This certificate remain the property of Directorate of Accreditation for Assessment Services (DAAS), and this certificate is recognized by Directorate of Accreditation for Assessment Services (DAAS).



Specialized Flooring Systems Co.

شركة الأرضية المتخصصة

